

1 AN ORDINANCE approving the awarding of  
2 Reference #1432 by the City of Fort  
3 Wayne, Indiana, by and through its  
4 Department of Purchasing and AKZO SALT  
INC.D/B/A INTERNATIONAL SALT COMPANY for  
the Street Department.


5 NOW, THEREFORE, BE IT ORDAINED BY THE COMMON COUNCIL OF  
6 THE CITY OF FORT WAYNE, INDIANA;

7 SECTION 1. That Reference #1432 between the City of  
8 Fort Wayne, by and through its Department of Purchasing and  
9 AKZO SALT INC.D/B/A INTERNATIONAL SALT COMPANY for the  
10 Street Department, respectfully for:


11 the purchase of salt for the Street  
12 Department;

13 involving a total cost of ~~Four Hundred Thirty-Four Thousand~~  
14 ~~Two Hundred Fifty and no/100+/-~~ Dollars <sup>111,500.00</sup> (\$434,250.00+/-),  
15 all as more particularly set forth in said Reference #1432  
16 which is on file in the Office of the Department of  
17 Purchasing, and is by reference incorporated herein, made a  
18 part hereof, and is hereby in all things ratified, confirmed  
19 and approved.

20 SECTION 2. That this Ordinance shall be in full force  
21 and effect from and after its passage and any and all  
22 necessary approval by the Mayor.

23   
24 Councilmember

25 APPROVED AS TO FORM  
26 AND LEGALITY

27   
28 J. Timothy McCaulay, City Attorney  
29  
30  
31  
32

REFERENCE NO. 1432  
BULK ROCK SALT  
STREET DEPARTMENT

DESCRIPTION	QTY	UNIT	MORTON	AKZO SALT	AMER. SALT
TON-DELIVERED	15000	M	\$34.14 \$512,100.00	\$28.95 \$434,250.00	NO BID
TON-PICKED UP	15000	M	\$28.00 \$420,000.00	\$29.00 \$435,000.00	
LOCATION			TOLEDO	FORT WAYNE	
DELIVERY TIME ARO			3-5 DAYS	1-3 DAYS	

NOTE: AKZO SALT MINIMUM TRUCKLOAD ON DELIVERED IS 21 TONS AND  
MINIMUM PICK-UP IS 5 TONS



FRONT PAGE/INVITATION TO BID  
DEPARTMENT OF PURCHASING  
CITY OF FORT WAYNE, ALLEN COUNTY, INDIANA  
ONE MAIN STREET - ROOM 350  
PHONE 219-427-1101

BID OPENING DATE 10-18-90 @ 11:00 AM BID REFERENCE # 1432

SEALED BIDS SHOULD BE DELIVERED TO DEPARTMENT OF PURCHASING, ROOM 350, CITY-COUNTY BUILDING UP TO 11:00 A.M. ON OR BEFORE OPENING DATE.

SEALED BIDS WILL BE OPENED PUBLICLY AT 11:01 A.M. IN THE BOARD OF WORKS & SAFETY CONFERENCE ROOM ON THE THIRD FLOOR OF THE CITY-COUNTY BUILDING. "NO LATE BIDS WILL BE ACCEPTED AFTER 11:00 A.M. FOR ANY REASON WHATSOEVER".

THIS INVITATION FOR BID IS FOR TYPE 1 BULK ROCK SALT (COARSE-CRUSHED SODIUM CHLORIDE) TO BE PURCHASED AS REQUIRED FOR THE FT WAYNE STREET DEPT FOR 1991 AND REQUESTED BY CITY OF FORT WAYNE STREET DEPARTMENT

THIS BID REQUIRES A XXXXXX \$500.00 BID BOND, CERTIFIED OR CASHIER'S CHECK OF ALL BIDDERS.

THIS BID REQUIRES A \_\_\_\_\_ 100% PERFORMANCE BOND OF SUCCESSFUL BIDDER(S).

PROMPT PAYMENT DISCOUNTS WILL BE ALLOWED AS FOLLOWS: NONE % IF PAID WITHIN \_\_\_\_\_ DAYS. TERMS: Net 30 days

THIS INVITATION IS ISSUED TO ESTABLISH A CONTRACT TO SUPPLY THE CITY OF FORT WAYNE WITH A COMMODITY OR SERVICE IN ACCORDANCE WITH ACCOMPANYING SPECIFICATIONS.

THE EXECUTION HEREOF BY THE BIDDER IS ACCEPTANCE OF ALL TERMS AND CONDITIONS HEREIN AND IN THAT REGARD THE BIDDER AGREES TO BE BOUND BY SAME AND BE BOUND TO THE AMOUNT OF HIS/HER BID FOR A PERIOD OF NINETY (90) DAYS.

FIRM NAME AKZO SALT INC. d/b/a/  
INTERNATIONAL SALT COMPANY  
Abington Executive Park, P. O. Box 352  
STREET ADDRESS \_\_\_\_\_  
18411-0352  
CITY Clarks Summit, PA PHONE # 1-800-752-7258  
BY [Signature]  
REPRESENTATIVE SIGNATURE  
ROBERT H. JONES, Vice President  
Bidding & Marketing



CITY OF FORT WAYNE  
SALT REQUIREMENTS

THE CITY OF FORT WAYNE, INDIANA, IS REQUESTING BIDS FOR THE PURCHASE OF TYPE 1 BULK ROCK SALT, COARSE-CRUSHED SODIUM CHLORIDE - TO BE USED FOR ICE AND SNOW REMOVAL AND CONTROL WHICH SHALL BE CHEMICALLY TREATED TO PREVENT HARDENING.

PRICES BID SHALL BE FOR A MINIMUM OF 20-21 TONS PER LOAD DELIVERED TO ANY LOCATION IN FORT WAYNE, INDIANA, VIA INSTRUCTIONS FROM THE STREET COMMISSIONER, BOARD OF PUBLIC WORKS OR THE DIRECTOR OF PURCHASING.

PRICES BID MUST BE EXACT AND HELD FIRM THROUGH THE TERM OF THE AGREEMENT. THERE SHALL BE NO ADDITIONAL CHARGES FOR DELIVERY, HANDLING OR ANY OTHER MISC FEES.

THE ANNUAL REQUIREMENTS FOR BULK ROCK SALT ARE ESTIMATES ONLY. ACTUAL QUANTITIES PURCHASED MAY BE MORE OR LESS.

TERM OF AGREEMENT: DECEMBER 31, 1991

ESTIMATED TONS:

15000 +/-

PRICE PER TON DELIVERED:

\$28.95 Min. truckload-21 tons

PRICE PER TON PICKED-UP:

\$29.00 Min. pick-up - 5 tons

LOCATION OF PICK UP:

Fort Wayne, Indiana

TIME OF DELIVERY OF EACH ORDER:

1 to 3 days ARO

TERMS:

Net 30 days from shipment


(PLEASE REFER TO ATTACHED ADDENDUM FOR ADDITIONAL INFORMATION)

**AKZO**

AKZO SALT INC.  
d/b/a/  
INTERNATIONAL SALT COMPANY

-- ADDENDUM --

**Salt Division**

CLASS OR ITEM	QUANTITY	UNIT	QUALITY — DESCRIPTION	UNIT PRICE	AMOUNT
ROCK SALT	15,000	TONS	BULK ICE CONTROL ROCK SALT Truck Delivery Minimum truckload - 21 tons	\$28.95	\$434,250.00
			Pick-up at our Fort Wayne Depot Minimum pick-up - 5 tons	\$29.00	\$435,000.00
Terms of payment are net 30 days from shipment.					
Bulk rock salt will be treated with an anti-caking agent.					
OUR ROCK SALT IS MINED IN THE U.S.A. BY AMERICAN LABOR.					
We will protect our quoted prices on deliveries and pick-ups prior to and including 12/31/91 provided our quote is accepted within 90 days from your bid opening date of 10/18/90.					
Attached is our certified check in the amount of \$500.00, Affirmative Action Plan and technical specifications.					
					
ROBERT H. JONES, Vice President Bidding & Marketing					

International  
Salt Company  
Abington  
Executive Park  
Clarks Summit,  
Pennsylvania 18411  
Phone and Fax:  
717/587-5131  
Cable: ISCO,  
Clarks Summit, PA  
Telex: 83-1872



AKZO SALT INC.

CERTIFIED RESOLUTION

I, the undersigned, Assistant Secretary of Akzo Salt Inc., a corporation duly organized and existing under the laws of the State of New Jersey and having its principal place of business in Clarks Summit, Pennsylvania, hereby certify that the following is a true copy of a certain resolution duly adopted by the Board of Directors of said corporation in accordance with its By-laws, and recorded in the minutes on May 15, 1985 and not subsequently rescinded or modified:

RESOLVED, that the President, all Senior Vice Presidents, Vice Presidents, Directors, Secretary, Assistant Secretary, Manager Divisional Planning and Logistics, Regional Highway Managers and Highway Territory Managers of this Company, or any of them, be and they hereby are authorized to execute on behalf of this Company all documents required for or incident to this Company's offer to sell to states, commonwealths, municipalities and governmental entities, rock salt for ice control purposes, the foregoing authority to continue until and unless specifically modified or withdrawn by the Board of Directors of this Company.

IN WITNESS WHEREOF, I have hereunto subscribed my name and the Company seal of said corporation this 13th day of Oct., 19 90.

(Corporate Seal)

Joseph C. Menik  
Joseph C. Menik  
Assistant Secretary



# Material Safety Data Sheet

May be used to comply with  
 OSHA's Hazard Communication Standard  
 29 CFR 1910.1200. Standard must be  
 consulted for specific requirements.

U.S. Department of Labor  
 Occupational Safety and Health Administration  
 (Non-Mandatory Form)  
 Form Approved  
 OMB No. 1218-0072



IDENTITY (As Used on Label and List)  
 SALT, SODIUM CHLORIDE, HALITE, SOLAR SALT

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

## Section I

Manufacturer's Name

AKZO SALT INC. d/b/a/ INTERNATIONAL SALT CO.

Address (Number, Street, City, State, and ZIP Code)

ABINGTON EXECUTIVE PARK-P.O. BOX 352

CLARKS SUMMIT, PA 18411-0352

Emergency Telephone Number

(717) 587-19349

Telephone Number for Information

(717) 587-9349

Date Prepared

10/15/90

Signature of Preparer (optional)

SUSAN R. GELB

CAS #7647-14-5

## Section II — Hazardous Ingredients/Identity-Information Director of Quality Assurance

Hazardous Components (Specific Chemical Identity, Common Name(s))

OSHA PEL

ACGIH TLV

Other Limits  
 Recommended

% (optional)

NONE, NOT CONSIDERED TOXIC

I.V. IN RATS 2.5 G/KG

LD50 ORALLY IN RATS 3.75 G/KG

## Section III — Physical/Chemical Characteristics

Boiling Point °F	2575	Specific Gravity (H <sub>2</sub> O = 1)	2.165
Vapor Pressure (mm Hg.)	2.4 mm @ 746.9°C	Melting Point	804°
Vapor Density (AIR = 1)	NA	Evaporation Rate (Butyl Acetate = 1)	NONE

Solubility in Water 60°F 317 GPL

Appearance and Odor

SOLID WHITE OR OFF-WHITE CRYSTALLINE MATERIAL, NO ODOR

## Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used)	NONE	Flammable Limits	NONE	LEL	NA	UEL	NA
---------------------------	------	------------------	------	-----	----	-----	----

Extinguishing Media

IT IS AN EXTINGUISHING MEDIUM.

Special Fire Fighting Procedures

NOT COMBUSTIBLE - NOT APPLICABLE

Unusual Fire and Explosion Hazards

NONE

(Reproduce locally)

OSHA 174, Sept. 1985





**INTERNATIONAL SALT COMPANY**  
Abington Executive Park • Clarks Summit, Pennsylvania 18411  
717/587-5131

STANDARD SPECIFICATION FOR  
SODIUM CHLORIDE  
ASTM-D 632-84

This specification supersedes ASTM-D 632-72

1. SCOPE

This specification covers sodium chloride intended for use as a deicer and for road construction or maintenance purposes.

2. CLASSIFICATION

This specification covers sodium chloride obtained from natural deposits (rock salt) or produced by man (evaporated, solar, other) and recognizes two types and two grades as follows:

Type I - Used primarily as a pavement deicer or in aggregate stabilization

Grade 1 - Standard gradation (Note 1).

Grade 2 - Special gradation (Note 2).

Type II - Used in aggregate stabilization or for purposes other than deicing.

Note 1 - Grade 1 provides a particle grading for general application, and found by latest research to be most effective for ice control and skid resistance under most conditions. Grade 2 is the grading typical of salt produced in the Western U.S. and available in states of the Rocky Mountain Region and west which may be preferred by purchasers in that area.

3. CHEMICAL REQUIREMENTS

The sodium chloride shall conform to the following requirements as to chemical composition:

Sodium chloride (NaCl), min,%. . . . . 95.0



#### 4. PHYSICAL REQUIREMENTS

##### Grading:

Type I - The gradation of Type I sodium chloride, when tested by means of laboratory sieves, shall conform to the following requirements for particle size distribution:

<u>Sieve Size</u>	<u>Weight Percent Passing</u>	
	<u>Grade 1</u>	<u>Grade 2</u>
3/4 in. (19.05 mm)	--	100
1/2 in. (12.70 mm)	100	--
3/8 in. ( 9.51 mm)	95 - 100	--
No. 4 ( 4.76 mm)	20 - 90	20 - 100
No. 8 ( 2.38 mm)	10 - 60	10 - 60
No. 30 ( 0.595 mm)	0 - 15	0 - 15

Type II - The gradation of Type II sodium chloride shall conform to grading requirements imposed or permitted by the purchaser under conditions of the intended use.

#### 5. PERMISSIBLE VARIATIONS

In the case of sodium chloride sampled after delivery to the purchaser, tolerances from the foregoing specified values shall be allowed as follows:

Gradation - 5.0 percentage points on each sieve size, except the 1/2 in. (12.5 mm) and 3/8 in. (9.5 mm) for Grade 1 and 3/4 in. (19.0 mm) for Grade 2.

Chemical Composition - 0.5 percentage point.

#### 6. CONDITION

The sodium chloride shall arrive at the purchaser's delivery point in a free-flowing and usable condition.

#### 7. SAMPLING

Not less than three sample increments shall be selected at random from the lot (Note 2). Each increment shall be obtained by scraping aside the top layer of material to a depth of at least 1 in. (25mm) and taking a 1-lb. (approximately 454-g) quantity of sodium chloride to a depth of at least 6 in. (152 mm). Sampling shall be done by means of a sampling thief or other method which will assure a representative cross section of the material. The sample increments shall be thoroughly mixed to constitute a composite sample representative of the lot.

NOTE 2 - A lot shall be an amount agreed upon between purchaser and supplier at the time of purchase.

## 8. TEST METHODS

(a) Chemical Test - Test for compliance with the requirements for chemical composition in accordance with the following methods:

1. Routine Control - The "Rapid Method" provided in Annex A-1 may be used for routine control and approval.
2. Referee Testing - In case of controversy, determine analysis in accordance with Methods E 534.

Gradation shall be determined by Method C 136.

## 9. INSPECTION

The purchaser or his representative shall be provided free entry and necessary facilities at the production plant or storage area if he elects to sample sodium chloride at the source.

## 10. REJECTION AND REHEARING

- (a) The sodium chloride shall be rejected if it fails to conform to any of the requirements of this specification.
- (b) In the case of failure to meet the requirements on the basis of an initial sample of a lot represented, two additional samples shall be taken from the lot and tested. If both additional samples meet the requirements, the lot shall be accepted.

## 11. PACKAGING AND MARKING

The sodium chloride shall be delivered in bags or other containers acceptable to the purchaser, or in bulk lots. The name of the producer and the net weight shall be legibly marked on each bag or container, or, in the case of bulk lots, on the shipping or delivery report.



ANNEX  
MANDATORY INFORMATION  
RAPID TEST METHOD FOR SODIUM CHLORIDE

The following rapid test method may be used for routine control of the sodium chloride content instead of the referee method prescribed in Section 8.

1. **SAMPLE** - The composite sample obtained under Section 7 shall be thoroughly mixed and reduced by quartering or by means of sample splitter to approximately 1-lb. (454-g). This 1-lb. composite sample shall be ground to pass the No. 50 (300 mm) sieve.
2. **PROCEDURE** - Weigh out  $10 \pm 0.01$ -g of the pulverized sample and place in a beaker with 250-ml distilled water. Add 10-ml of nitric acid ( $\text{HNO}_3$ , 1 + 4 by volume) and stir for 20 min. at room temperature to put the salt in solution. Transfer the solution including any insoluble material to a 2-liter volumetric flask and dilute to the mark with distilled water. With a pipet draw off 25-ml of the solution and place in a white porcelain casserole. Add  $\frac{1}{2}$ -g of calcium carbonate ( $\text{CaCO}_3$ ) to neutralize the excess  $\text{HNO}_3$ , and adjust the pH to approximately 7. Add 3-ml of potassium chromate ( $\text{K}_2\text{CrO}_4$ ) solution (50-g  $\text{K}_2\text{CrO}_4$ /liter) as an indicator and titrate with 0.05 N silver nitrate ( $\text{AgNO}_3$ ) solution.
3. **STANDARDIZATION** - Standardize the 0.05 N  $\text{AgNO}_3$  solution using 10 g of reagent grade sodium chloride ( $\text{NaCl}$ ) following the applicable procedure.
4. **CALCULATION** - Calculate the percentage of  $\text{NaCl}$  as follows:

NOTE: 
$$P = [(A/B) \times (C/D)] \times 100$$

WHERE:

- A= grams of reagent grade  $\text{NaCl}$  used.
- B= millilitres of 0.5 N  $\text{AgNO}_3$  solution, required to titrate the reagent grade  $\text{NaCl}$ .
- C= millilitres of 0.5 N  $\text{AgNO}_3$  solution, required to titrate the sample being tested.
- D= grams of test sample used, and
- P= percentage of sodium chloride in the sample being tested.

If moisture is apparent in the sample, dry a duplicate 10-g sample of the pulverized salt at  $105^\circ\text{C}$  ( $220^\circ\text{F}$ ) and correct the weight of the sample accordingly.

NOTE: Because total chlorides are precipitated in the titration, magnesium chloride ( $\text{MgCl}_2$ ) and calcium chloride ( $\text{CaCl}_2$ ) would be included as sodium chloride.

5. **PRECISION** - Duplicate samples should check within 0.25 percent ( $\text{NaCl}$ ).

# BID, OFFER OR PROPOSAL FOR SALE OR LEASE OF MATERIALS

(Defined at I.C. 36-1-2-9.5)  
(Please type or print)

Date: October 13, 1990  
 1. Governmental Unit: CITY OF FORT WAYNE, INDIANA  
 2. County: ALLEN  
 3. Bidder (Firm): AKZO SALT INC. d/b/a INTERNATIONAL SALT COMPANY  
 Address: Abington Exec. Park, Clarks Summit, PA  
 City/State: Clarks Summit, PA 18411-0352  
 4. Telephone Number: 1-800-752-7258  
 5. Agent of Bidder (if applicable): ROBERT H. JONES

Pursuant to notices given, the undersigned offers bid(s) to City of Ft. Wayne, IN (Governmental Unit) in accordance with the following attachment(s) which specify the class or item number or description, quantity, unit, unit price and total amount.

The contract will be awarded by classes or items, in accordance with specifications. Any changes or alterations in the items specified will render such bid void as to that class or item. Bidder promises that he has not offered nor received a less price than the price stated in his bid for the materials included in said bid. Bidder further agrees that he will not withdraw his bid from the office in which it is filed. A certified check or bond shall be filed with each bid if required, and liability for breach shall be enforceable upon the contract, the bond or certified check or both as the case may be.

*[Signature]*  
Signature of Bidder or Agent

ROBERT H. JONES, Vice Pres.-Bidding & Marketing

## BID OFFER OR PROPOSAL

Attach separate sheet listing each item bid based on specifications published by governing body. Following is an example of the bid format:

Class or Item	Quantity	Unit	Description	Unit Price	Amount
---------------	----------	------	-------------	------------	--------

(PLEASE REFER TO ATTACHED ADDENDUM FOR THIS INFORMATION)

## PENNSYLVANIA

## NON-COLLUSION AFFIDAVIT

STATE OF PENNSYLVANIA  
 LACKAWANNA ) SS:  
 COUNTY )

The undersigned bidder or agent, being duly sworn on oath, says that he has not, nor has any other member, representative, or agent of the firm, company, corporation or partnership represented by him, entered into any combination, collusion or agreement with any person relative to the price to be bid by anyone at such letting nor to prevent any person from bidding nor to induce anyone to refrain from bidding, and that this bid is made without reference to any other bid and without any agreement, understanding or combination with any other person in reference to such bidding.

He further says that no person or persons, firms, or corporation has, have or will receive directly or indirectly, any fee, cost, fee, gift, commission or thing of value on account of such sale.

## NOTARIAL SEAL

BARBARA A. HENSHAW; Notary Public  
 S. Abington Township, Lackawanna County, PA  
 My Commission Expires Sept. 23, 1993

My Commission Expires: 9/23/93

County of Residence: LACKAWANNA

AKZO SALT INC. d/b/a/ INTERNATIONAL SALT CO.

(Bidder (Firm))

*[Signature]*  
Signature of Bidder or Agent  
 ROBERT H. JONES  
 VicePres.-Bidding & Marketing

BARBARA A. HENSHAW  
 Notary Public Printed Name

## ACCEPTANCE

There now being sufficient unbilled appropriated funds available, the contracting authority of (Governmental Unit) hereby accepts the terms of the attached bid for classes or items numbered \_\_\_\_\_ and promises to pay the undersigned bidder upon delivery the price quoted for the materials stipulated in said bid.

Contracting Authority Members:

Date: \_\_\_\_\_

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



Read the first time in full and on motion by Henry, seconded by Talarico, and duly adopted, read the second time in full and referred to the Committee on Finance (and the City Plan Commission for recommendation) and Public Hearing to be held after due legal notice, at the Council Conference Room 128, City-County Building, Fort Wayne, Indiana, on \_\_\_\_\_, 19\_\_\_\_, the \_\_\_\_\_, day of \_\_\_\_\_, at \_\_\_\_\_ o'clock \_\_\_\_\_ M., E.S.T.

DATED: 11-13-90

Sandra E. Kennedy  
SANDRA E. KENNEDY, CITY CLERK

Read the third time in full and on motion by Schmidt, seconded by Edmonds, and duly adopted, placed on its passage. PASSED ~~lost~~ by the following vote:

	AYES	NAYS	ABSTAINED	ABSENT
TOTAL VOTES	<u>7</u>			<u>2</u>
BRADBURY	<u>✓</u>			
BURNS	<u>✓</u>			
EDMONDS	<u>✓</u>			
GIAQUINTA	<u>✓</u>			
HENRY				<u>✓</u>
LONG	<u>✓</u>			
REDD	<u>✓</u>			
SCHMIDT	<u>✓</u>			
TALARICO				<u>✓</u>

DATED: 11-27-90

Sandra E. Kennedy  
SANDRA E. KENNEDY, CITY CLERK

Passed and adopted by the Common Council of the City of Fort Wayne, Indiana, as (ANNEXATION) (APPROPRIATION) (GENERAL) (SPECIAL) (ZONING MAP) ORDINANCE RESOLUTION NO. S-281-90 on the 27th day of November, 1990,

Sandra E. Kennedy ATTEST  
SANDRA E. KENNEDY, CITY CLERK

SEAL  
Charles S. Redd  
PRESIDING OFFICER

Presented by me to the Mayor of the City of Fort Wayne, Indiana, on the 28th day of November, 1990 at the hour of 2:00 o'clock P. M., E.S.T.

Sandra E. Kennedy  
SANDRA E. KENNEDY, CITY CLERK

Approved and signed by me this 30th day of November 1990, at the hour of 8:45 o'clock P. M., E.S.T.

PAUL HELMKE  
PAUL HELMKE, MAYOR



DIGEST SHEET

TITLE OF ORDINANCE: Special

DEPARTMENT REQUESTING ORDINANCE: Purchasing

SYNOPSIS OF ORDINANCE: An ordinance approving the award of Ref. No. 1432 for the purchase of salt for the Street Department. The cost reflects the lowest and most responsive of two (2) vendors.

IF NOT LOWEST, WHO WAS AND WHY WERE THEY NOT AWARDED:

EFFECT OF PASSAGE: This will be used for snow and ice control.

*S-90-11-07*

EFFECT OF NON-PASSAGE: Would not be able to control snow and ice conditions of City Streets.

MONIES INVOLVED: AZKO Salt <sup>*111,500.00*</sup> ~~*\$434,250.00*~~ +/-

PRICE AGREEMENT: Yes

PURCHASE ORDER:

SOURCE OF FUNDING: Street Dept 128-128-1201-4274

PRIOR APPROVAL:  
(IF APPLICABLE)

DATE:



BILL NO. S-90-11-07

REPORT OF THE COMMITTEE ON FINANCE

THOMAS C. HENRY, CHAIRMAN  
DONALD J. SCHMIDT, VICE CHAIRMAN  
BRADBURY, BURNS, GiaQUINTA

WE, YOUR COMMITTEE ON FINANCE TO WHOM WAS

REFERRED AN (ORDINANCE) (~~RESOLUTION~~) approving the awarding  
of Reference #1432 by the City of Fort Wayne, Indiana, by and  
through its Department of Purchasing and AKZO SALT INC. D/B/A/  
INTERNATIONAL SALT COMPANY for the Street Department



HAVE HAD SAID (ORDINANCE) (~~RESOLUTION~~) UNDER CONSIDERATION  
AND BEG LEAVE TO REPORT BACK TO THE COMMON COUNCIL THAT SAID  
(ORDINANCE) (~~RESOLUTION~~)

DO PASS

DO NOT PASS

ABSTAIN

NO REC

DATED: 11-27-90.

Sandra E. Kennedy  
City Clerk